



REVISIONS			
REV.#	DESCRIPTION	DATE	BY



Part#	"A"	"T"
177	6 (152mm)	6 (152mm)
178	8 (203mm)	10 (254mm)
179	10 (254mm)	12 (305mm)
532	6 (152mm)	8 (203mm)
602	6 (152mm)	7.25 (184mm)
846	12 (305mm)	14 (356mm)
896	14 (356mm)	18 (457mm)
1198	10 (254mm)	8 (203mm)
1263	11 (279mm)	7.25 (184mm)
1366	15 (381mm)	10 (254mm)
1403	14 (356mm)	16 (406mm)
1404	11 (279mm)	13 (330mm)
1409	8 (203mm)	7.25 (184mm)
1410	15 (381mm)	12 (305mm)
1540	17 (432mm)	13 (330mm)
1561	14 (356mm)	10 (254mm)
1610	8 (203mm)	14 (356mm)
1618	6 (152mm)	10 (254mm)
1660	20 (508mm)	13 (330mm)
1681	8 (203mm)	12 (305mm)
1684	4 (102mm)	6 (152mm)
20J0013001	5 (127mm)	6 (152mm)



Friction Adjuster

Dimensions Are For Reference Purposes Only

Solutions That Set New Standards
CALDWELL
 Since 1888

Manufacturing Company 2605 Manitou Road, Rochester, New York

TITLE: Friction Adjuster (Limit Device) (ADV)

THIRD ANGLE PROJECTION

DRAWN HV DATE 8/4/14
 CHECKED DATE
 APPROVED DATE

A SIZE EX NO DWG NO 177 twc REV 0

SCALE 1:3 SHEET 1 OF 1